

L Number	Hits	Search Text	DB	Time stamp
-	3818	((400/61-62) or (400/70) or (400/76)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:54
-	3195	set\$4 same adjust\$3 same print\$3 same position	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:53
-	17	(set or sets or setting) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display) and coordinate and information and start\$3 and end\$3 and default and value\$1 and menu and (print adj (position or location))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:49
-	53303	(b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.	EPO; JPO; DERWENT	2003/06/12 17:53
-	7	set\$4 same adjust\$3 same print\$3 same (position or location) same coordinat\$3 same input\$4 same stor\$4 same output\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/02 18:35
-	41	(set\$4 same adjust\$3 same print\$3 same position) and ((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/02 18:44
-	29	((400/61-62) or (400/70) or (400/76)).CCLS.) and (set\$4 same adjust\$3 same print\$3 same position)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/03 13:58
-	379	(set or sets or setting) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display) and (print adj (position or location))	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:59
-	1	5854647.URPN.	USPAT	2003/06/12 17:49
-	7	("4737860" "4747619" "4940690" "5222818" "5496118" "5540507" "5587214").PN.	USPAT	2003/06/12 17:49
-	11	("4983053" "5050099" "5718520" "5835820" "5872569" "5878198" "5892512" "5923013" "5997131" "5999945" "6017113").PN.	USPAT	2003/06/12 17:50
-	0	6203220.URPN.	USPAT	2003/06/12 17:52
-	53403	(b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.	EPO; JPO; DERWENT	2003/06/12 17:53
-	3820	((400/61-62) or (400/70) or (400/76)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:54
-	55719	("400").CLAS.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:54
-	0	((set or sets or setting) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display) and (print adj (position or location))) and ((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:54

-	97	((set or sets or setting) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display) and (print adj (position or location))) and ("400").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:54
-	33	set\$4 same adjust\$3 same print\$3 same (location or position) same display same stor\$3 same input\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:39
-	21	((set or sets or setting) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display) and (print adj (position or location))) and (((400/61-62) or (400/70) or (400/76)).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 17:58
-	456	((set or sets or setting) same print same location) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:11
-	6	((set or sets or setting) same (print adj location)) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:39
-	199	((set or sets or setting) same (print with location)) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:24
-	0	((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.) and (((set or sets or setting) same (print with location)) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:03
-	10	((((400/61-62) or (400/70) or (400/76)).CCLS.) and (((set or sets or setting) same (print with location)) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:03
-	32	((("400").CLAS.) and (((set or sets or setting) same (print with location)) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:04
-	18	((set or sets or setting) same (print adj location)) and (adjust or adjusts or adjusting) and print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:33
-	0	((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.) and (((set or sets or setting) same print same location) same (adjust or adjusts or adjusting) same print\$3 and input and (screen or display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:12
-	7	((("400").CLAS.) and (((set or sets or setting) same print same location) same (adjust or adjusts or adjusting) same print\$3 and input and (screen or display))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:12
-	49	((set or sets or setting) same print same location) same (adjust or adjusts or adjusting) same print\$3 and input and (screen or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:15

-	19	((set or sets or setting) same print same location) same (adjust or adjusts or adjusting) same (screen or display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:16
-	12692	((set or sets or setting) same print same (location or position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:18
-	1097	(set or sets or setting) same (print adj (location or position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:26
-	252	(set or sets or setting) same (print adj (location or position) same direction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:19
-	87	((("400").CLAS.) and ((set or sets or setting) same (print adj (location or position) same direction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:20
-	4	((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.) and ((set or sets or setting) same (print adj (location or position) same direction))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:20
-	23	(set or sets or setting) same (print adj (location or position) same cursor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:20
-	47	((set or sets or setting) same print same (location or position) same menu same screen same display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:23
-	242	(set or sets or setting) same (print adj (location or position) same (adjust\$4 or correct\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 15:53
-	8	((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.) and ((set or sets or setting) same (print adj (location or position) same (adjust\$4 or correct\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:27
-	8	((("400/61-62) or (400/70) or (400/76)).CCLS.) and ((set or sets or setting) same (print adj (location or position) same (adjust\$4 or correct\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:27
-	64	((("400").CLAS.) and ((set or sets or setting) same (print adj (location or position) same (adjust\$4 or correct\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:28
-	18	((set or sets or setting) same (print adj location)) and (adjust or adjusts or adjusting)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:33
-	3084	(set or sets or setting) and (print\$3 with (position or location) with (adjust or adjusts or adjusting))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:00

-	512	(set or sets or setting) and (print\$3 with (position or location) with (adjust or adjusts or adjusting)) and printer and display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:22
-	1	((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.) and ((set or sets or setting) and (print\$3 with (position or location) with (adjust or adjusts or adjusting)) and printer and display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:47
-	26	((b41j021/00 or b41j019/96 or b41j019/64 or g06f003/12 or h04n001/393).ipc.) and ((set or sets or setting) and (print\$3 with (position or location) with (adjust or adjusts or adjusting)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:42
-	116	((("400").CLAS.) and ((set or sets or setting) and (print\$3 with (position or location) with (adjust or adjusts or adjusting)) and printer and display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/12 18:47
-	16	(set or sets or setting) and (print\$3 with (position or location) with (adjust or adjusts or adjusting)) and printer and (display same screen same cursor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 15:49
-	23	(set or sets or setting) same (print adj (location or position) same (adjust\$4 or correct\$4) same margin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 15:53
-	14	(set or sets or setting) and (print\$3 same (position or location) same (adjust or adjusts or adjusting) same margin\$1) and printer and (display same cursor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 15:55
-	6	("4778288" "5634091" "5732197" "5839033" "5963216" "5995721").PN.	USPAT	2003/06/13 15:56
-	11	(set or sets or setting) and (print\$3 same (position or location) same (adjust or adjusts or adjusting) same display same screen same cursor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:12
-	1	("02130177").pn.	JPO	2003/06/13 16:12
-	327	(set or sets or setting) and (print\$3 with (position or location) with (adjust or adjusts or adjusting)) and printer and display and (computer or host)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:23
-	161	((set or sets or setting) same (print with location)) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display) and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:24
-	43	((set or sets or setting) same (print with location)) and (adjust or adjusts or adjusting) and print\$3 and input and (screen or display) and computer and margin\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:28
-	13	(print\$3 same (position or location) same (adjust or adjusts or adjusting) same computer same margin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:30
-	230	(print\$3 same (position or location) same (computer or host) same margin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:31

-	21	(print\$3 same (position or location) same (adjust or adjusts or adjusting) same (computer or host) same margin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:30
-	8	((print\$3 same (position or location) same (adjust or adjusts or adjusting) same (computer or host) same margin\$1)) not ((print\$3 same (position or location) same (adjust or adjusts or adjusting) same computer same margin\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:30
-	30	(print\$3 same (position or location) same adjust\$3 same (computer or host) same margin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:38
-	719	(print\$3 same (position or location) same adjust\$3 same (computer or host))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:33
-	131	(print\$3 same (position or location) same adjust\$3 same (computer or host) same display)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:33
-	10	(print\$3 same display same screen same set\$4 same (computer or host) same margin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:39
-	107	(print\$3 same (position or location) same set\$4 same (computer or host) same margin\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/13 16:39